

#### CITY COUNCIL STUDY SESSION

#### Study Team

- Jennifer Schroder
   Parks & Community Services Director
- Linda MurphyRecreation Manager
- Lauren LivingstonThe Sports Management Group



#### STUDY SESSION AGENDA

**♦** Affirm Council's Interest

In replacing Juanita Aquatic Center by 2017

**♦** Overview of Needs

And community aquatic deficiencies

**♦** Current Operations

And use of Juanita pool

- Options for Consideration
- **♦ Next Steps**



#### BACKGROUND

- ♦ \$755 million bond measure approved
- **■** Juanita Pool replacement not included
- **♦** 2017 Pool closure
- **♦ City Council** support requested



#### BACKGROUND

#### School Board September 9 Resolution:

"...should the 2014 bond measure pass, to authorize a portion of the unspent Phase 2 modernization funds for potential pool partnership(s) in order to benefit Lake Washington School District student athletes"





## KIRKLAND AQUATICS

Mission: Provide facilities and programs that serve community needs and interest

- Health and wellness
- Water safety
- Water therapy

- Fitness
- Recreation
- Swim and dive



#### WATER SAFETY

#### Swim lessons save lives

- 10 people die everyday from unintentional drowning
- 5th in leading causes of injury death
- 1 in 5 who drown are under 14 years
- **♦**WA > U.S. in drownings
- Ages 1-4 Leading cause of injury death



## KIRKLAND AQUATICS

#### City's Pool Inventory



#### ♦ Peter Kirk Pool

- Seasonal outdoor pool and wading pool
- Open 12 weeksJune 3 to Sept. 3



## KIRKLAND AQUATICS

#### Peter Kirk Pool

- 100% operating cost recovery
- - Students aged 9 months to seniors



#### PLANNING GUIDELINES

#### National Recreation & Parks Association

- lack 36,000sf 60,000sf of public owned water area
- **♦** Year-round facilities
- ♦ Peter Kirk Pool: 4,455sf



## SERVING AQUATIC NEEDS

- Requires different types of pools
- ♦ Water temperatures from 78° to 86° to 102°
- Fast water to fun water
- Depths from "beach" entry to 13'















#### PROS PLAN

#### Kirkland Indoor Recreation Facility

- - Assumed Juanita pool for high school team use





#### RECENT HISTORY

♦ City exploration of partnerships

Since 2007 multiple meetings with cities and colleges

- Kirkland & Redmond Council joint meetings
- ♦ Since 2008 CIP has included recreation facility
  As unfunded project
- ♦ 2011-2012 Park Funding Exploratory Committee

Considers indoor aquatics & recreation as part of ballot measure

Recommends recreation facility after 2021 when 2002 bonds are retired



### PROS PLAN UPDATE

#### September 2013 Survey

- Statistically valid
- Use and value placed on parks
- Quality & quantity of recreation opportunities
- Priorities for expanding opportunities
- Willingness to support public funding



#### PROS SURVEY FINDINGS

believe Kirkland needs more pools

expressed a willingness to increase taxes for an Aquatics Center

expressed willingness to increase taxes for Recreation Center











# COUNCIL AMENDED WORK PLAN

Partner with LWSD and other public and private organizations to explore options for replacing Juanita Aquatic Center by 2017

Amended work plan, September 17, 2013 Council authorized \$215K to explore options



## STRATEGIC OBJECTIVE

- Provide residents year-round public access to water safety, recreation, health and wellness water therapy, and fitness
- High School swim and dive teams
- Explore options for replacing Juanita Pool through a partnership with Lake Washington School District and other interested public and private organizations by 2017



#### REPLACEMENT OPTIONS

1. Replace Juanita Pool

with same components

2. Enclose and upgrade Peter Kirk Pool

to accommodate school swim and dive team

3. Develop an Aquatic Center


with multi-use recreation pool and 8-lane competitive pool

4. Develop Indoor Recreation Facility

multi-use facility that includes recreation pool and 8-lane competitive pool








## JUANITA POOL TODAY

- Owned by the LWSD
- Operated by WAVE Aquatics
- Utilities partially subsidized
- Operation is break-even







## JUANITA POOL TODAY

- High School and WAVE's competitive swimming and diving & water polo
- WAVE Swim School
- Synchronized swimming
- Limited open swim



#### REPLACEMENT OPTIONS

## 1. Replace Juanita Pool with same components

- Meet with LWSD to confirm their needs
- Develop a scope and budget for cost and site analysis, and concept planning
- Option maintains status quo
- Requires operating subsidy



#### REPLACEMENT POOL

- Same component designed to current standards
- ♦ Better serves existing users no new uses
- Assumes same scheduling

Capital Cost in 2014 Dollars	\$12 - \$14 Million
Site Requirement	2 – 2.5 Acres
Operating Subsidy	\$200,000 to \$300,000
Cost Recovery	60% - 70%



#### REPLACEMENT OPTIONS

#### 2. Enclose & Upgrade Peter Kirk Pool

- Develop a scope and budget for cost and site analysis, and concept planning
- Eliminates outdoor pool
- Loss of pool during construction



#### REPLACEMENT OPTIONS

#### 3. Construct an Aquatic Facility

- Develop a scope and budget for cost and site analysis, and concept planning
- Provide an 8-lane pool (meet school needs) and a recreation pool
- Consider phased construction of future recreation center



#### REPLACEMENT OPTIONS

# 4. Construct a Recreation Center with Aquatics

- Develop a scope and budget for cost and site analysis, and concept planning
- Provide an 8 lane pool (meet school needs) and a recreation pool



# March 2017 Juanita Pool Closed?

37 Months



# Design & Construction

Architect Selection 3 months
Schematic Design 3 months
Design Development 5 months
Construction Document 5 months
Permit Review 4 months
Bid Project 2 months
Construction 10-16 months
Construction 10-16 months



#### Potential Ballot Measure

July 2014

Council Resolution

Aug 2014

Filing deadline King County

Nov 2014

General Election



#### Potential Ballot Measure

Oct 2014

Council Resolution

Dec 2014

Filing deadline King County

Feb 2015

Special Election



# COUNCIL DIRECTION



# KEY POLICY QUESTIONS

- 1. What are Program Priorities the Pool Should Provide?
- Public Needs: water safety, recreation, health and wellness, water therapy, and fitness
- LWSD: High School swimming and diving
- Private: Competitive swimming and diving, water polo and synchronized swimming; pre-competition swimming
- Other?



# KEY POLICY QUESTIONS

- 2. Should the Operating Cost Recovery be Between 85% 100%
- 3. Should City Property be Used to Reduce Costs?




#### POTENTIAL SITES

### City Property to Consider

- North Kirkland Community Center, 5.5 acres
- Juanita Beach Park (north side), 9 acres
- Peter Kirk Park, 12.5 acres
- Snyder's Corner, 4.5 acres
- Mark Twain, 6.6 acres
- Other?





# POTENTIAL SITES

- North Kirkland
   Community Center
- Juanita Beach Park (north side)
- 3. Mark Twain
- 4. Peter Kirk Park (pool)
- 5. Snyder's Corner



# REPLACEMENT OPTIONS

1. Replace Juanita Pool

with same components

- 2. Enclose and upgrade Peter Kirk Pool
- 3. Develop an Aquatic Center

with multi-use recreation pool and 8-lane competitive pool

4. Develop Indoor Recreation Facility

multi-use facility that includes recreation pool and 8-lane competitive pool



#### CRITERIA TO GUIDE STUDY

- ♦ Program Criteria
- ♦ 85% 100% Operating Cost Recovery
- **♦** Alternative Sites
- **♦** Other?



## NEXT STEPS

- ♦ Schedule Joint Meeting of Council / District?
- ♦ February 4 any information or action needed



#### FUTURE ACTION


- Tour facilities with Park Board & Council
- Analyze potential sites
- Define scope and develop funding source(s)
- Initiate public involvement process





# PROPOSED POOL

- 50 Meter Competition Pool
- 2 Teaching Pools





# COUNCIL DIRECTION

- Options for study
  - Replace Juanita Pool, enclose/upgrade Peter Kirk Pool, develop aquatic center, develop indoor recreation facility
- Policy direction
- Guidance regarding potential sites
  - Include only City owned?
- Define role of Park Board

